

FAP FILO IMPERIALE / STATUARIO 250X750 mm

Characteristics	ISO Standard	Values Required	Average Rating
LENGTH & WIDTH Dimensions	ISO 10545-2	+/-0.5% max 2 mm	In accordance
THICKNESS		+/-10.0% max 0.5 mm	In accordance
WEDGING		+/-0.5% MAX 2 mm	In accordance
STRAIGHTNESS OF THE EDGES		+/-0.3% MAX 1.5 mm	In accordance
FLATNESS		+ 0.5% (max 2.0 mm) - 0.3% (max -1.5 mm)	In accordance
SURFACE QUALITY		≥ 95%	In accordance
WATER ABSORPTION	ISO 10545-3	> 10%	In accordance
BREAKING STRENGTH	ISO 10545-4	S ≥ 600 N	In accordance
BONDING STRENGTH	ISO 10545-4	R ≥ 12	In accordance
THERMAL SHOCK RESISTANCE	ISO 10545-9	In accordance	In accordance
CRAZING RESISTANCE	ISO 10545-11	In accordance	In accordance
RESISTANCE TO HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	ISO 10545-13	GB min	In accordance
RESISTANCE TO LOW CONCENTRATION OF ACIDS & ALKALIS	ISO 10545-13	According to classification indicated by the manufacturer	GLB min
STAIN RESISTANCE	ISO 10545-14	Min. Class 3	5

* Average rating of tests conducted during the last 24 months.